

# Shell 〇〇

〇〇〇〇〇〇

<http://blog.jobbole.com/46258/>

```
export MARKPATH=$HOME/.marks
function jump {
    cd -P "$MARKPATH/ class="code bash"" 2>/dev/null || echo "No such mark:
class="code bash""
}
function mark {
    mkdir -p "$MARKPATH"; ln -s "$(pwd)" "$MARKPATH/ class="code bash""
}
function unmark {
    rm -i "$MARKPATH/ class="code bash""
}
function marks {
    ls -l "$MARKPATH" | sed 's/ / /g' | cut -d' ' -f9- | sed 's/ -/\t-/g' &&
echo
}
}
```

Mac OS X 〇〇〇〇 marks 〇〇〇〇〇〇〇〇〇〇

```
function marks {
    \ls -l "$MARKPATH" | tail -n +2 | sed 's/ / /g' | cut -d' ' -f9- | awk
-F ' -> ' '{printf "%-10s -> %s\n", class="code bash", function marks { \ls
-l "$MARKPATH" | tail -n +2 | sed 's/ / /g' | cut -d' ' -f9- | awk -F ' -> '
'{printf "%-10s -> %s\n", $1, $2}' }'
}
```

From:

<http://wiki.2ndboy.net/> - 2ndboy's wiki

Permanent link:

[http://wiki.2ndboy.net/shell\\_notes](http://wiki.2ndboy.net/shell_notes)

Last update: 2013/09/07 14:10

